



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/085,032	03/01/2002	Takuya Kuroda	O3020.0296/P296	8823
24998	7590	01/19/2005	EXAMINER	
DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP			SETH, MANAV	
2101 L Street, NW			ART UNIT	
Washington, DC 20037			PAPER NUMBER	

2625

DATE MAILED: 01/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/085,032	Applicant(s) KURODA ET AL.	
	Examiner Manav Seth	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 March 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>01/15/2003</u> | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 6/1, 7, 8, 10/1, 11/1, 12/1, 13, 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Lu et al., U.S. Patent No. 5,550,928.

Regarding **claim 1**, Yamaguchi discloses:

- a TV camera (a living information achieving means) to detect the human face (living body information) (column 4, lines 54-57, column 5, lines 22-23).
- a registration information holding section, 18, (registration data storage means) for storing registration data (figure 1, column 6, lines 15-16 and lines 63-65).
- A recognition section, 16, (collating means) that compares (collates) the living body information achieved with the registration data stored in registration information holding section, 18, (column 6, lines 19-25).
- A registered information updating section, 20, (optimization candidate data extracting means) which outputs data using instructions (extracting optimization

candidate data) for data renewal (column 7, lines 20-22 and 36-39; column 8, lines 4-11).

- a registration information holding section, 18, (a renewal storage means) for storing the newly renewed data and it is clear that if a update or renewal is done to replace the old data, it makes it obvious that the new data to be stored will have higher priority than the old registration data and this is the basic purpose of renewing the old data.

Yamaguchi does not teach the step of storing the data extracted by registered information updating section, 20, (optimization candidate data extracting means) in the memory (optimization candidate data storage means) and then sending this data for data renewal. However, Lu discloses a processing unit 216 which compares the parameters calculated by block 204 to the reference parameters, which are stored in the Eigenface parameter library file 202, relating to each of the known viewers, and determines the scores between the parameters of the face in the current image and the parameters of each of the known viewers and these scores are further sent to block 208 which stores these scores in an Eigenface recognition file 210 (column 16, lines 48-58).

Therefore, it would have been obvious for one skilled in the art at the time of the invention was made to use the method of Lu of storing data extracted by a processing unit into a memory storage unit by in the invention of Yamaguchi. One would have been motivated to use the method of Lu of storing data extracted by a processing unit into a memory storage unit in the invention of Yamaguchi because both references are

directed towards biometric identification process and system and Lu further provides the well-known concept of storing the extracted data into a memory so that the data stored can be routed to other processing elements of the system for further processing as required and will provide a better accessibility and data synchronization during data transfer to other units of the system.

Claim 6/1 recites "wherein the registration data has attribute information, and the renewal by said renewal storage means is carried out by using the attribute information". Yamaguchi further discloses of storing subspaces (attribute information) in the registered information holding section, 18 whereas attribution information can contain information such as registration, time, day, hour, presence or absence of eyeglasses (column 7, lines 24-28 and lines 45-49). Yamaguchi further discloses the use of attribution information in recognition (figure 6(a), column 7, lines 40-43 and lines 56-57) and further uses this information for renewal (column 8, lines 24-26).

Claims 7 and 8 had been analyzed and rejected as per claim 6.

Claim 10/1 recites "wherein said optimization candidate data extracting means extracts the optimization candidate data every time collation is carried out". Yamaguchi discloses the registered information updating section, 20, performs an update on the registered information in the registered information holding section, 18, **as required**. Yamaguchi further discloses that the registered information update section, 20, is

further divided into two subsections, update determining section 201 for determining an update method and condition, and a update information creating section 202 for updating the registered information according to the determined method and condition (column 8, lines 6-11). Yamaguchi further discloses that section 201 receives collation results from the recognition section, 16, (collating means) (column 8, lines 16-18) and then extracts update (renewal) parameters **as required** based on the lapse time (column 8, lines 4-6, lines 19-40). It is clear from above that every time the collation is carried out, the collation results are passed to update section 20, which then extracts parameters or data as required for further processing.

Claim 11/1 recites "wherein said optimization candidate data extracting means extracts image data having low collation reliability degree". Yamaguchi discloses extracting of image data having low collation reliability degree in figure 10 where images are extracted from region B where region B is the region of low collation reliability because part of the region B is above a threshold value and rest of the part is below the threshold value, which provides a higher probability of mistakenly recognizing the images in this region B and this can be further seen in column 8, lines 53-58.

Claim 12/1 recites "wherein said optimization candidate data extracting means extracts image data whose collation data fails". Again referring to figure 10, Yamaguchi discloses extracting of image data from region C where images have a similarity value closer to zero.

Claim 13 recites a body collating system that is equipped with optimization candidate data storage means and a renewal storage means. Yamaguchi's invention combined with Lu's invention provides the device recited in as in the rejection of claim 1. Further Yamaguchi discloses that such a device structure is feasible by using a personal computer (a center device) with a frame grabber connected with TV camera (column 4, lines 54-67). Examples of such a system can be referred to as ATM machine, an airport security system etc.

Claims 14 and 15 recites the method to be performed on the device recited in claim

1. Claims 14 and 15 had been analyzed and rejected as per claim 1.

3. Claims 4/1 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Lu et al., U.S. Patent No. 5,550,928 and further in view of Usui et al., U.S. Patent No. 5,210,797.

Claim 4/1 recites "further including error rate calculating means for calculating an error rate of collation data, and registration data renewal target person extracting means for extracting registration data necessary to be renewed on the basis of the error rate calculated by said error rate calculating means". As explained before in the rejection of claims 10, 11 and 12, Yamaguchi extracts the renewal data using updating section, 20, on the basis of the error rate of collation data, but does not explicitly teach of computing

an error rate of collation data by error rate calculating means, neither does Lu teach of the same.

However, Usui discloses a method and apparatus for fingerprint recognition which computes the rate of correspondence (rate of correspondence will itself detect rate of error) between the segments of the fingerprint pattern stored in the memory and the segments of said fingerprint scanned by the scanner and then bases on this correspondence rate renews the fingerprint patterns stored in the memory with the fingerprints received (Abstract; column 2, lines 28-35; column 3, lines 15-22).

Therefore, it would have been obvious for one skilled in the art at the time of the invention was made to include the error rate calculating means by Usui in the combined invention of Yamaguchi and Lu. One would have been motivated to include the error rate calculating means by Usui in the combined invention of Yamaguchi and Lu because all three references are directed to the biometric information extraction and renewal and Usui will further provide the method of determining which data or image is to be renewed in the registered information holding section and Yamaguchi will further extract data necessary to be renewed using registered information update section, 20, on the basis of the error rate calculated and this will make the processing fast as the section 20 will know beforehand which data or image is to be renewed.

Claim 5 recites "wherein said error rate calculating means has a first threshold value used for a collation and a second threshold value set to be lower than the first threshold value, and an error whose error rate is not more than the second threshold

value is not used for calculation of the error rate". As explained in the rejection of claim 11 and 12, Yamaguchi does teach of extracting image or data from regions A, B and C where it uses a higher threshold value in figure 10 but does not teach of using lower threshold value, neither does Usui teach anything of using the same.

However, Lu discloses of method of recognizing face by calculating the score of each face image stored in the database to provide a quantitative estimate of the likelihood to that of the input image. These scores for each of the image in the database are compared to threshold values $T(\text{high})$ and $T(\text{low})$ where $T(\text{low})$ threshold value is set to be lower than the $T(\text{high})$ threshold value. If the score is above $T(\text{high})$, it will be stored as an indication of the confidence that the viewer or person has been identified. If the score is between the $T(\text{high})$ and $T(\text{low})$, the person will still be identified using some other features and it is clear that if the score was lower than $T(\text{low})$, the image will not be considered and person is not identified (see column 18, lines 25-51).

Therefore, it would have been obvious for one skilled in the art at the time of invention was made to use the concept of using two threshold values by Lu in the combined invention of Yamaguchi and Usui. One would have been motivated to use the concept of Lu in the combined invention of Yamaguchi and Usui because all the references are directed towards biometric parameter recognition and using the lower threshold value would allow Yamaguchi not to extract the data that is below lower threshold value which is close to the similarity value of zero, and thus making the process faster.

4. Claim 9/1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Lu et al., U.S. Patent No. 5,550,928 and further in view of Coffin et al., U.S. Patent No. 5,991,429.

Claim 9/1 recites "wherein the registration data has predetermined number of image data, and said renewal storage means renews a prescribed number of image data from the predetermined number of image data". It is well known in the art that if a person is to be identified, his/her features has to be registered beforehand in the database and the number of features stored has to have some limit i.e. a predetermined number of features are registered as registration data in the database. Both Yamaguchi and Lu does not explicitly say having a "predetermined number" of features but to further support this well known art, Coffin discloses that a minimum (predetermined) number of images is required for comparison in identification purposes (column 8, lines 62-67)

Therefore, it would have been obvious for one skilled in the art at the time of invention to use the concept of Coffin of having minimum (predetermined) number of images for comparison in the combined invention of Yamaguchi and Lu. One would have been motivated to use the concept of Coffin of having minimum (predetermined) number of images for comparison in the combined invention of Yamaguchi and Lu because having minimum number of images would provide the desired identification accuracy providing a better comparison with better recognition.

4. Claims 2, 6/2, 7, 8, 10/2, 11/2, and 12/2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Igaki et al., Japanese Patent No. JP404320583A.

Claim 2 additionally recites the limitations “characterized by further including registration data renewal target person output means for outputting registration data to be renewed in accordance with the frequency of collation failure of said collating means”. Yamaguchi does teach of using the attribute information for the recognition and renewal purposes but Yamaguchi does not teach a registration data renewal target person output means for outputting registration data to be renewed in accordance with the frequency of collation failure of said collating means. However, Igaki provides a method of updating registered data where when the **number of defective feature points** (frequency of collation failures) exceeds a previously determined threshold, the necessity of updating is judged (abstract).

Therefore, it would have been obvious for one skilled in the art at the time the invention was made to include the registration data renewal means that use the concept of updating registration data by Igaki in the invention of Yamaguchi. One would have been motivated to include the registration data renewal means that use the concept of updating registration data by Igaki in the invention of Yamaguchi because both references are directed to data recognition and renewal and Igaki further provides the concept of renewal of registered data by using attribute information such as frequency of collation failure. Yamaguchi as explained before uses attribute information for

Art Unit: 2625

renewal and using attribute information in the identification and renewal purpose is well known in the art.

Claim 6/2 has been analyzed and rejected as per claim rejection of 6 which is dependent on claim 1.

Claim 7 has been analyzed and rejected as per claim rejection of 7 which is dependent on claim 1.

Claim 8 has been analyzed and rejected as per claim rejection of 8 which is dependent on claim 1.

Claim 10/2 has been analyzed and rejected as per claim rejection of 10 which is dependent on claim 1.

Claim 11/2 has been analyzed and rejected as per claim rejection of 11 which is dependent on claim 1.

Claim 12/2 has been analyzed and rejected as per claim rejection of 12 which is dependent on claim 1.

5. Claim 4/2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Igaki et al., Japanese Patent No. JP404320583A, and further in view of Usui et al., U.S. Patent No. 5,210,797.

Claim 4/2 recites "further including error rate calculating means for calculating an error rate of collation data, and registration data renewal target person extracting means for extracting registration data necessary to be renewed on the basis of the error rate calculated by said error rate calculating means". As explained before in the rejection of claims 10, 11 and 12, Yamaguchi extracts the renewal data using updating section, 20, on the basis of the error rate of collation data, but does not explicitly teach of computing an error rate of collation data by error rate calculating means, neither does Igaki teach of the same.

However, Usui discloses a method and apparatus for fingerprint recognition which computes the rate of correspondence (rate of correspondence will itself detect rate of error) between the segments of the fingerprint pattern stored in the memory and the segments of said fingerprint scanned by the scanner and then bases on this correspondence rate renews the fingerprint patterns stored in the memory with the fingerprints received (Abstract; column 2, lines 28-35; column 3, lines 15-22).

Therefore, it would have been obvious for one skilled in the art at the time of the invention was made to include the error rate calculating means by Usui in the combined invention of Yamaguchi and Igaki. One would have been motivated to include the error rate calculating means by Usui in the combined invention of Yamaguchi and Igaki because all three references are directed to the biometric information extraction and

renewal and Usui will further provide the method of determining which data or image is to be renewed in the registered information holding section and Yamaguchi will further extract data necessary to be renewed using registered information update section, 20, on the basis of the error rate calculated and this will make the processing fast as the section 20 will know beforehand which data or image is to be renewed.

6. Claim 5/4/2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Igaki et al., Japanese Patent No. JP404320583A, and further in view of Usui et al., U.S. Patent No. 5,210,797, and further in view of Lu et al., U.S. Patent No. 5,550,928.

Claim 5/4/2 recites "wherein said error rate calculating means has a first threshold value used for a collation and a second threshold value set to be lower than the first threshold value, and an error whose error rate is not more than the second threshold value is not used for calculation of the error rate". As explained in the rejection of claim 11 and 12, Yamaguchi does teach of extracting image or data from regions A, B and C where it uses a higher threshold value in figure 10 but does not teach of using lower threshold value, neither does Igaki and Usui teach anything of using the same.

However, Lu discloses of method of recognizing face by calculating the score of each face image stored in the database to provide a quantitative estimate of the likelihood to that of the input image. These scores for each of the image in the database are compared to threshold values T(high) and T(low) where T(low) threshold value is set to be lower than the T(high) threshold value. If the score is above T(high), it will be

stored as an indication of the confidence that the viewer or person has been identified. If the score is between the T(high) and T(low), the person will still be identified using some other features and it is clear that if the score was lower than T(low), the image will not be considered and person is not identified (see column 18, lines 25-51).

Therefore, it would have been obvious for one skilled in the art at the time of invention was made to use the concept of using two threshold values by Lu in the combined invention of Yamaguchi, Igaki and Usui. One would have been motivated to use the concept of Lu in the combined invention of Yamaguchi, Igaki and Usui because all the references are directed towards biometric parameter recognition and using the lower threshold value would allow Yamaguchi not to extract the data that is below lower threshold value which is close to the similarity value of zero, and thus making the process faster.

7. Claim 9/2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Igaki et al., Japanese Patent No. JP404320583A, and further in view of Coffin et al., U.S. Patent No. 5,991,429.

Claim 9/2 recites "wherein the registration data has predetermined number of image data, and said renewal storage means renews a prescribed number of image data from the predetermined number of image data". It is well known in the art that if a person is to be identified, his/her features has to be registered beforehand in the database and the number of features stored has to have some limit i.e. a predetermined number of features are registered as registration data in the database. Both Yamaguchi

Art Unit: 2625

and Igaki does not clearly say of having a predetermined number of features but to further support this well known art, Coffin discloses that a minimum (predetermined) number of images is required for comparison in identification purposes (column 8, lines 62-67).

Therefore, it would have been obvious for one skilled in the art at the time of invention to use the concept of Coffin of having minimum (predetermined) number of images for comparison in the combined invention of Yamaguchi and Igaki. One would have been motivated to use the concept of Coffin of having minimum (predetermined) number of images for comparison in the combined invention of Yamaguchi and Igaki because having minimum number of images would provide the desired identification accuracy providing a better comparison with better recognition.

8. Claims 3, 6/3, 7, 8, 10/3, 11/3, and 12/3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Price-Francis, U.S. Patent No. 5,815,252.

Claim 3 additionally recites "registration candidate data storage means for storing registration candidate unused for collation". Yamaguchi do not teach of storing registration candidate unused for collation. However Price-Francis discloses storing of user (candidate) additional biometric data representing a different physical characteristic in the storage medium whereas one of the physical characteristics is extracted from the storage medium for identification and rest of them are unused (column 3, lines 34-43).

Therefore, it would have been obvious for the person skilled in the art at the time of the invention was made to use the method of storing additional registered by Price-Francis in the invention of Yamaguchi. One would have been motivated to use the method of storing additional registered by Price-Francis in the invention of Yamaguchi because both references are directed to biometric data extraction for identification purposes and Price-Francis provides a method where additional biometric feature characteristics are stored in the storage medium which provides the more reliability for the identification systems and these additional biometric features are unused if the identification is done by the selected particular biometric feature characteristic.

Claim 6/3 has been analyzed and rejected as per claim rejection of 6 which is dependent on claim 1.

Claim 7 has been analyzed and rejected as per claim rejection of 7 which is dependent on claim 1.

Claim 8 has been analyzed and rejected as per claim rejection of 8 which is dependent on claim 1.

Claim 10/3 has been analyzed and rejected as per claim rejection of 10 which is dependent on claim 1.

Claim 11/3 has been analyzed and rejected as per claim rejection of 11 which is dependent on claim 1.

Claim 12/3 has been analyzed and rejected as per claim rejection of 12 which is dependent on claim 1.

9. Claim 4/3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Price-Francis, U.S. Patent No. 5,815,252, and further in view of Usui et al., U.S. Patent No. 5,210,797.

Claim 4/3 recites "further including error rate calculating means for calculating an error rate of collation data, and registration data renewal target person extracting means for extracting registration data necessary to be renewed on the basis of the error rate calculated by said error rate calculating means". As explained before in the rejection of claims 10, 11 and 12, Yamaguchi extracts the renewal data using updating section, 20, on the basis of the error rate of collation data, but does not explicitly teach of computing an error rate of collation data by error rate calculating means, neither does Price-Francis teach of the same.

However, Usui discloses a method and apparatus for fingerprint recognition which computes the rate of correspondence (rate of correspondence will itself detect rate of error) between the segments of the fingerprint pattern stored in the memory and the segments of said fingerprint scanned by the scanner and then bases on this

correspondence rate renews the fingerprint patterns stored in the memory with the fingerprints received (Abstract; column 2, lines 28-35; column 3, lines 15-22).

Therefore, it would have been obvious for one skilled in the art at the time of the invention was made to include the error rate calculating means by Usui in the combined invention of Yamaguchi and Price-Francis. One would have been motivated to include the error rate calculating means by Usui in the combined invention of Yamaguchi and Price-Francis because all three references are directed to the biometric information extraction and renewal and Usui will further provide the method of determining which data or image is to be renewed in the registered information holding section and Yamaguchi will further extract data necessary to be renewed using registered information update section, 20, on the basis of the error rate calculated and this will make the processing fast as the section 20 will know beforehand which data or image is to be renewed.

10. Claim 5/4/3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Price-Francis, U.S. Patent No. 5,815,252, and further in view of Usui et al., U.S. Patent No. 5,210,797, and further in view of Lu et al., U.S. Patent No. 5,550,928.

Claim 5 recites "wherein said error rate calculating means has a first threshold value used for a collation and a second threshold value set to be lower than the first threshold value, and an error whose error rate is not more than the second threshold value is not used for calculation of the error rate". As explained in the rejection of claim

Art Unit: 2625

11 and 12, Yamaguchi does teach of extracting image or data from regions A, B and C where it uses a higher threshold value in figure 10 but does not teach of using lower threshold value, neither does Price-Francis and Usui teach anything of using the same.

However, Lu discloses of method of recognizing face by calculating the score of each face image stored in the database to provide a quantitative estimate of the likelihood to that of the input image. These scores for each of the image in the database are compared to threshold values $T(\text{high})$ and $T(\text{low})$ where $T(\text{low})$ threshold value is set to be lower than the $T(\text{high})$ threshold value. If the score is above $T(\text{high})$, it will be stored as an indication of the confidence that the viewer or person has been identified. If the score is between the $T(\text{high})$ and $T(\text{low})$, the person will still be identified using some other features and it is obvious that if the score was lower than $T(\text{low})$, the image will not be considered and person is not identified (see column 18, lines 25-51).

Therefore, it would have been obvious for one skilled in the art at the time of invention was made to use the concept of using two threshold values by Lu in the combined invention of Yamaguchi, Price-Francis and Usui. One would have been motivated to use the concept of Lu in the combined invention of Yamaguchi, Price-Francis and Usui because all the references are directed towards biometric parameter recognition and using the lower threshold value would allow Yamaguchi not to extract the data that is below lower threshold value which is close to the similarity value of zero, and thus making the process faster.

11. Claim 9/3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yamaguchi et al., U.S. Patent No. 6,608,914 in view of Price-Francis, U.S. Patent No. 5,815,252, and further in view of Coffin et al., U.S. Patent No. 5,991,429.

Claim 9/3 recites "wherein the registration data has predetermined number of image data, and said renewal storage means renews a prescribed number of image data from the predetermined number of image data". It is well known in the art that if a person is to be identified, his/her features has to be registered beforehand in the database and the number of features stored has to have some limit i.e. a predetermined number of features are registered as registration data in the database. Both Yamaguchi and Price-Francis does not clearly say of having a predetermined number of features but to further support this well known art, Coffin discloses that a minimum (predetermined) number of images is required for comparison in identification purposes (column 8, lines 62-67).

Therefore, it would have been obvious for one skilled in the art at the time of invention to use the concept of Coffin of having minimum (predetermined) number of images for comparison in the combined invention of Yamaguchi and Price-Francis. One would have been motivated to use the concept of Coffin of having minimum (predetermined) number of images for comparison in the combined invention of Yamaguchi and Price-Francis because having minimum number of images would provide the desired identification accuracy providing a better comparison with better recognition.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Morimoto et al., U.S. Patent No. 6,418,235 discloses an organism collating method and apparatus, which use attribute data such as a collation frequency rate for the identification purposes.
- Driscoll Jr. et al., U.S. Patent No. 5,067,162 discloses a method and apparatus for verifying identity using image correlation.
- Yamaguchi et al., U.S. Patent No. 6,275,601 discloses a method for renewing dictionary image data in a fingerprint identification device, and enables to shorten dictionary identification time and to always keep the dictionary images in the best condition.
- Dimaria et al., European Patent No. EP 0,903,700, discloses a biometric time and attendance system with epidermal topographical updating capability.
- Yamaguchi et al., U.S. Patent No. 6,314,196 discloses a fingerprint registering method and fingerprint checking device which uses a threshold level to register the data in the database.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manav Seth whose telephone number is (703) 306-


Art Unit: 2625

4117. The examiner can normally be reached on Monday to Friday from 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta, can be reached on (703) 308-5246. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Manav Seth
Art Unit 2625
October 19, 2004



BHAVESH M. MEHTA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600